aysamVet

VETERİNER ORTOPEDİK KATALOG

Aysam Veteriner Ortopedi & Tıbbi Aletler

VETERINARY ORTHOPAEDIC CATALOG

www.aysamvet.com

As Aysam Veterinary Orthopedics & Medical Instruments, we produce orthopedic Implants, Sterilization Containers and Accessories. These implants are used to rebuild and fix bones in the animal body. Since 2001, as Aysam Veterinary Orthopedics, we have been working continuously to make these procedures easier and more comfortable for both the surgeon and the patient.

Our R&D team is constantly developing our products to make these orthopedic surgical interventions easier, faster and healthier. We are one of the largest manufacturers in Europe and Asia by producing the best fit for the human body by producing with high quality raw materials in our modern machinery park.

Exporting to more than 60 countries in the world, Aysam Veterinary Orthopedics also supports many international companies, companies and contract manufacturers, and we also participate in the world's leading fairs. The main ones coming from these are fairs such as Medica/Düsseldorf, Arab Health/Dubai and Expomed/Istanbul.

In the next 10 years, as Aysam Veterinary Orthopedics, our goal is to be among the world's leading manufacturers and to serve the whole world by offering our customers innovation, quality and reliability together.

Aysam Veteriner Ortopedi & Tıbbi Aletler olarak ortopedik İmplant, Sterilizasyon Konteyner ve Aksesuarları üretimi yapmaktayız. Bu implantlar insan vücudunda bulunan kemiklerin tekrar inşası ve sabitlenmesi için kullanılmakta. 2001 den bu yana Aysam Veteriner Ortopedi olarak bu işlemleri hem cerrah hem de hasta için daha kolay ve daha rahat gerçekleşmesini sağlamak için sürekli çalışmaktayız.

Ar-Ge ekibimiz devamlı olarak bu ortopedik cerrahi müdahalelerin daha kolay, daha hızlı ve daha sağlıklı olması için ürünlerimizi devamlı olarak geliştirmekte. Modern makine parkımızda yüksek kalitede hammadde ile üretim yaparak insan bedeni için en iyi uyumu sağlayarak Avrupa'nın ve Asya'nın en büyük üreticilerinden biriyiz.

Dünyada 60 den fazla ülkeye ihracat yapan Aysam Veteriner Ortopedi aynı zamanda uluslararası birçok şirket, firma ve fason üreticilere destek vermekte olup aynı zamanda dünyanın önde gelen fuarların katılım sağlamaktayız. Bunlardan başlıca gelenler Medica/Düsseldorf, Arab Health/Dubai ve Expomed/İstanbul gibi yerel fuarlar.

Önümüzdeki 10 yıl içerisinde Aysam Veteriner Ortopedi olarak hedefimiz müşterilerimize yeniliği, kaliteyi ve güvenilirliği beraber sunarak dünyanın önde gelen üreticileri arasında yer alıp tüm dünyaya hizmet vermek.

aysamVet

www.aysamvet.com

INDEX

06-11

2,0 mm Locking-Non Locking Plates
(2,0 mm Mini Locking L Plates, 2,0 mm Mini Locking T Plates, 2,0 mm Mini Locking Y Plates, 2,0 mm Mini Locking Small Plates, 2,0 mm Mini Locking Long Plates, 2,0 mm Mini Locking Curved Plates, 2,0 mm Mini Locking Square Plate, 2,0 mm Mini Locking Star Plates, 2,0 mm Mini Locking H Plates, 2,0 mm Mini Locking Straight Plates, 2,0 mm Mini Condylar Locking Plates, 2,0 mm Mini Adaptation Locking Plates, 2,0 mm Mini Adaptation Y Locking Plates)

11

2,0 mm Locking-Non Locking Screws
(2,0 mm Mini Locking Screws, 2,0 mm Mini Non Locking Screws)

12-17

2,4/2,7 mm Locking-Non Locking Plates
(2,4/2,7 mm Mini Locking L Plates, 2,4/2,7 mm Mini Locking T Plates, 2,4/2,7 mm Mini Locking Y Plates, 2,4/2,7 mm Mini Locking Small Plates, 2,4/2,7 mm Mini Locking Long Plates, 2,4/2,7 mm Mini Locking Curved Plates, 2,4/2,7 mm Mini Locking Square Plate, 2,4/2,7 mm Mini Locking Star Plates, 2,4/2,7 mm Mini Locking H Plates, 2,4/2,7 mm Mini Locking Straight Plates, 2,4/2,7 mm Mini Condylar Locking Plates, 2,4/2,7 mm Mini Adaptation Locking Plates, 2,4/2,7 mm Mini Adaptation Y Locking Plates)

18

2,4/2,7 mm Locking-Non Locking Screws
(2,4 mm Mini Locking Screws, 2,4 mm Mini Non Locking Screws, 2,7 mm Mini Locking Screws, 2,7 mm Mini Non Locking Screws)

19-22

3,5 mm Locking-Non Locking Plates
(3,5 mm Metaphysis Locking Compression Plate, 3,5 mm Locking Compression Plate, 1/3 Tubular Locking Plate, 3,5 mm Reconstruction Locking Plate, 3,5 mm Locking Compression T-Plate, Right-Angled (3 Holes on Head), 3,5 mm Locking Compression T-Plate Oblique-Angled, 3,5 mm Locking Compression T-Plate, Right-Angled (4 Holes on Head), 1/3 Tubular Plate, 3,5 mm Thin Narrow Plate DCP, 3,5 mm Straight Reconstruction Plate)

23

3,5 mm Locking-Non Locking Screws
(3,5 mm Mini Locking Screws, 3,5 mm Mini Non Locking Screws, 3,5 mm Mini Locking Screws, 3,5 mm Mini Non Locking Screws)

24-25

4,5/5,0 mm Locking-Non Locking Plates
(Quarter 1/4 Tubular Plate, 4,5/5,0 mm Narrow Locking Compression Plate, 4,5/6,5 mm Broad Compression Plate, 4,5/6,5 mm Narrow Compression Plate

26-27

4,5/5,0 mm Locking-Non Locking Screws
(5,0 mm Self-Tapping Locking Screw, 4,5 mm Self-Tapping Cortical Screw, 4,5 mm Malleolar Screw)

27-30

Wire-Pins
(Kirschner Wires with Trocar Point, Threaded Kirschner Wires with Trocar Point, Cerclage Wire, Steinmann Pin with Trocar Point, Steinmann Pins with Central Thread, Schanz Screw, Schanz Screw Cancellous, Rush Intramedullary Pin)

31-33

External Fixators
(Mini Rail Fixators, Ayfix Dynamic Axial External Fixator Humerus, Tubular Fixator Rod-Rod Clamp, Tubular Fixator Rod-Pin Clamp, Tubular Fixator Carbon Rod, Tubular Fixator Straight Support)

35-40

Sterilization Containers
(Basic Model - Half Size Containers, Basic Model - Special Size Containers, Mini Containers, Dental Containers, Flat Containers, Endoscopy Containers, Implant Containers)

41-43

Perforated Sheet Baskets
(Half Size Sheet Basket, Special Size Sheet Basket, Mini Sheet Basket, Dental Sheet Basket)

44-53

Surgical Instruments
(Killian Raspatory, Cottle Periosteal Elevator, Hohmann Bone Elevator, Buck-Gramcko Bone Elev., Mallet Lead Filled, Finger Reposition Forceps, Bone Holding Forceps, Luer Bone Rongeur, Tc Wire Twister Rnd-Tip, Wire Holding Forceps Serr, Wire Cutting Pliers F/Sft, Langenbeck Metacarpal Saw, Deschamps Needle For Left/Right-Hand Sharp, Gelpi Skin & Vaginal Retractor, Kocher Suture Needle Heavy-Cvd, Tendon Hook 2 prong, Osteotomes)

aysamVet

www.aysamvet.com

2,0 mm Mini Locking L Plate 90°

SS	TI	HOLES	SIDE	DEGREE
AV11 02 090 1002	AV11 02 090 0002	2	Left	90 º
AV11 02 090 1003	AV11 02 090 0003	3	Left	90 º
AV11 02 090 1102	AV11 02 090 0102	2	Right	90 º
AV11 02 090 1103	AV11 02 090 0103	3	Right	90 º

2,0 mm Mini Locking L Plate 90° Long

SS	TI	HOLES	SIDE	DEGREE
AV11 02 090 1012	AV11 02 090 0012	2	Left	90 º
AV11 02 090 1013	AV11 02 090 0013	3	Left	90 º
AV11 02 090 1112	AV11 02 090 0112	2	Right	90 º
AV11 02 090 1113	AV11 02 090 0113	3	Right	90 º

2,0 mm Mini Locking L Plate 110°

SS	TI	HOLES	SIDE	DEGREE
AV11 02 110 1002	AV11 02 110 0002	2	Left	110 º
AV11 02 110 1003	AV11 02 110 0003	3	Left	110 º
AV11 02 110 1102	AV11 02 110 0102	2	Right	110 º
AV11 02 110 1103	AV11 02 110 0103	3	Right	110 º

2,0 mm Mini Locking L Plate 110° Long

SS	TI	HOLES	SIDE	DEGREE
AV11 02 110 1012	AV11 02 110 0012	2	Left	110 º
AV11 02 110 1013	AV11 02 110 0013	3	Left	110 º
AV11 02 110 1112	AV11 02 110 0112	2	Right	110 º
AV11 02 110 1113	AV11 02 110 0113	3	Right	110 º

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

2,0 mm Mini Locking T Long Plate (3 holes head)

SS	TI	HOLES	HOLES (HEAD)
AV11 02 100 1002	AV11 02 100 0002	2	3
AV11 02 100 1003	AV11 02 100 0003	3	3
AV11 02 100 1004	AV11 02 100 0004	4	3
AV11 02 100 1005	AV11 02 100 0005	5	3
AV11 02 100 1006	AV11 02 100 0006	6	3
AV11 02 100 1007	AV11 02 100 0007	7	3

2,0 mm Mini Locking T Plate (2 holes head)

SS	TI	HOLES (SHAFT)	HOLES (HEAD)
AV11 02 100 1025	AV11 02 100 0025	5	2
AV11 02 100 1024	AV11 02 100 0024	4	2

2,0 mm Mini Locking T Plate (5 holes head)

SS	TI	HOLES (SHAFT)	HOLES (HEAD)
AV11 02 100 1052	AV11 02 100 0052	2	5
AV11 02 100 1053	AV11 02 100 0053	3	5
AV11 02 100 1055	AV11 02 100 0055	5	5

2,0 mm Mini Adaptation T Locking Plate (2 holes head)

TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
AV10 02 041 0103	7	2	52,5

2,0 mm Mini Locking Y Plate

1/1

SS	TI	HOLES
AV11 02 101 1002	AV11 02 101 0002	2
AV11 02 101 1003	AV11 02 101 0003	3
AV11 02 101 1004	AV11 02 101 0004	4

2,0 mm Mini Locking Y Long Plate

1/1

SS	TI	HOLES
AV11 02 101 1012	AV11 02 101 0012	2
AV11 02 101 1013	AV11 02 101 0013	3
AV11 02 101 1014	AV11 02 101 0014	4

2,0 mm Mini Locking Small Plate

1/1

SS	TI	HOLES
AV11 02 103 1204	AV11 02 103 0204	4
AV11 02 103 1205	AV11 02 103 0205	5
AV11 02 103 1206	AV11 02 103 0206	6
AV11 02 103 1207	AV11 02 103 0207	7
AV11 02 103 1208	AV11 02 103 0208	8
AV11 02 103 1209	AV11 02 103 0209	9
AV11 02 103 1210	AV11 02 103 0210	10

2,0 mm Mini Locking Long Plate

1/1

SS	TI	HOLES
AV11 02 103 1104	AV11 02 103 0104	4
AV11 02 103 1105	AV11 02 103 0105	5
AV11 02 103 1106	AV11 02 103 0106	6
AV11 02 103 1107	AV11 02 103 0107	7
AV11 02 103 1108	AV11 02 103 0108	8
AV11 02 103 1109	AV11 02 103 0109	9
AV11 02 103 1110	AV11 02 103 0110	10

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

2,0 mm Mini Locking Plate

SS	TI	HOLES
AV11 02 103 1004	AV11 02 103 0004	4
AV11 02 103 1005	AV11 02 103 0005	5
AV11 02 103 1006	AV11 02 103 0006	6
AV11 02 103 1007	AV11 02 103 0007	7
AV11 02 103 1008	AV11 02 103 0008	8
AV11 02 103 1009	AV11 02 103 0009	9
AV11 02 103 1010	AV11 02 103 0010	10
AV11 02 103 1011	AV11 02 103 0011	11
AV11 02 103 1012	AV11 02 103 0012	12

2,0 mm Mini Locking Curved Plate

SS	TI	HOLES
AV11 02 104 1004	AV11 02 104 0004	4
AV11 02 104 1005	AV11 02 104 0005	5
AV11 02 104 1006	AV11 02 104 0006	6
AV11 02 104 1007	AV11 02 104 0007	7
AV11 02 104 1008	AV11 02 104 0008	8
AV11 02 104 1009	AV11 02 104 0009	9
AV11 02 104 1010	AV11 02 104 0010	10
AV11 02 104 1012	AV11 02 104 0012	12

2,0 mm Mini Locking Square Plate

SS	TI	HOLES
AV11 02 105 1004	AV11 02 105 0004	4
AV11 02 105 1008	AV11 02 105 0008	8
AV11 02 105 1012	AV11 02 105 0012	12
AV11 02 105 1016	AV11 02 105 0016	16

2,0 mm Mini Locking Star Plate

SS	TI	HOLES
AV11 02 107 1005	AV11 02 107 0005	5
AV11 02 107 1006	AV11 02 107 0006	6
AV11 02 107 1009	AV11 02 107 0009	9
AV11 02 107 1010	AV11 02 107 0010	10

2,0 mm Mini Locking H Plate

1/1

SS	TI	HOLES
AV11 02 108 1007	AV11 02 108 0007	7
AV11 02 108 1011	AV11 02 108 0011	11
AV11 02 108 1015	AV11 02 108 0015	15

2,0 mm Mini Locking Straight Plate

1/1

SS	TI	HOLES
AV11 20 123 1004	AV11 20 123 0004	4
AV11 20 123 1005	AV11 20 123 0005	5
AV11 20 123 1006	AV11 20 123 0006	6
AV11 20 123 1007	AV11 20 123 0007	7
AV11 20 123 1008	AV11 20 123 0008	8
AV11 20 123 1010	AV11 20 123 0010	10

2,0 mm Mini Condylar Locking Plate (2 holes head)

1/1

SS	TI	HOLES (SHAFT)	HOLES (HEAD)
AV10 02 042 1003	AV10 02 042 0003	7	2

2,0 mm Mini Adaptation Locking Plate

TI	HOLES
AV10 02 063 0003	12

1/1

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

2,0 mm Mini Adaptation Y Locking Plate (3 holes head)

1/1

TI	HOLES (SHAFT)	HOLES (HEAD)
AV10 02 182 0009	7	3

2,0 mm Mini Locking Screw

1/1

SS	TI	DIA. x LENGTH (mm)
A1992006	A1982005	2,0X6
-	A1982007	2,0X7
A1992008	A1982017	2,0X8
-	A1982009	2,0X9
A1992023	A1982019	2,0X10
-	A1982011	2,0X11
A1992025	A1982021	2,0X12
	A1982013	2,0X13
A1992027	A1982023	2,0X14

SS	TI	DIA. x LENGTH (mm)
-	A1982015	2,0X15
A1992016	A1982025	2,0X16
-	A1982027	2,0X18
A1992020	A1982636	2,0X20
A1992022	A1982638	2,0X22
A1992024	A1982640	2,0X24
A1992026	A1983565	2,0X26
A1992028	A1983570	2,0X28
A1992030	-	2,0X30

2,0 mm Mini Screw

1/1

SS	TI	DIA. x LENGTH (mm)
A1992006	A110 03 216 0060	2,0X6
-	A110 03 216 0320	2,0X7
A1992008	A110 03 216 0080	2,0X8
-	A110 03 216 0340	2,0X9
A1992023	A110 03 216 0100	2,0X10
-	A110 03 216 0360	2,0X11
A1992025	A110 03 216 0120	2,0X12
	A110 03 216 0380	2,0X13
A1992027	A110 03 216 0140	2,0X14

SS	TI	DIA. x LENGTH (mm)
A1992016	A110 03 216 0160	2,0X16
A1992018	A110 03 216 0180	2,0X18
A1992020	A110 03 216 0200	2,0X20
A1992022	A110 03 216 0220	2,0X22
A1992024	A110 03 216 0240	2,0X24
A1992026	A110 03 216 0260	2,0X26
A1992028	A110 03 216 0280	2,0X28
A1992030	A110 03 216 0300	2,0X30

2,4/2,7 mm Mini Locking L Plate 90º

SS	TI	HOLES	SIDE	DEGREE
AV11 24 090 1002	AV11 24 090 0002	2	Left	90 º
AV11 24 090 1003	AV11 24 090 0003	3	Left	90 º
AV11 24 090 1102	AV11 24 090 0102	2	Right	90 º
AV11 24 090 1103	AV11 24 090 0103	3	Right	90 º

2,4/2,7 mm Mini Locking L Plate 90º Long

SS	TI	HOLES	SIDE	DEGREE
AV11 24 090 1012	AV11 24 090 0012	2	Left	90 º
AV11 24 090 1013	AV11 24 090 0013	3	Left	90 º
AV11 24 090 1112	AV11 24 090 0112	2	Right	90 º
AV11 24 090 1113	AV11 24 090 0113	3	Right	90 º

2,4/2,7 mm Mini Locking L Plate 110º

SS	TI	HOLES	SIDE	DEGREE
AV11 24 110 1002	AV11 24 110 0002	2	Left	110 º
AV11 24 110 1003	AV11 24 110 0003	3	Left	110 º
AV11 24 110 1102	AV11 24 110 0012	2	Right	110 º
AV11 24 110 1103	AV11 24 110 0013	3	Right	110 º

2,4/2,7 mm Mini Locking L Plate 110º Long

SS	TI	HOLES	SIDE	DEGREE
AV11 24 110 1012	AV11 24 110 0102	2	Left	110 º
AV11 24 110 1013	AV11 24 110 0103	3	Left	110 º
AV11 24 110 1112	AV11 24 110 0112	2	Right	110 º
AV11 24 110 1113	AV11 24 110 0113	3	Right	110 º

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

2,4/2,7 mm Mini Locking T Long Plate (3 holes head)

SS	TI	HOLES
AV11 24 112 1002	AV11 24 112 0002	2
AV11 24 112 1003	AV11 24 112 0003	3
AV11 24 112 1004	AV11 24 112 0004	4
AV11 24 112 1005	AV11 24 112 0005	5
AV11 24 112 1006	AV11 24 112 0006	6
AV11 24 112 1007	AV11 24 112 0007	7

2,4/2,7 mm Mini Locking T Plate (2 holes head)

SS	TI	HOLES (SHAFT)	HOLES (HEAD)
AV11 24 112 1025	AV11 24 112 0025	5	2
AV11 24 112 1045	AV11 24 112 0045	5	4

2,4/2,7 mm Mini Locking T Plate (5 holes head)

SS	TI	HOLES (SHAFT)	HOLES (HEAD)
AV11 24 112 1035	AV11 24 112 0052	2	5
AV11 24 112 1055	AV11 24 112 0053	3	5
AV11 24 112 1025	AV11 24 112 0055	5	5

2,4/2,7 mm Mini Locking T Plate 2 (3 holes head)

SS	TI	HOLES (SHAFT)	HOLES (HEAD)
-	AV10 02 410 0012	7	3

2,4 / 2,7 mm Mini Locking Y Plate (4 holes head)

SS	TI	HOLES
AV11 24 113 1042	AV11 24 113 0142	2
AV11 24 113 1043	AV11 24 113 0043	3
AV11 24 113 1044	AV11 24 113 0044	4

2,4/2,7 mm Mini Locking Y Plate

SS	TI	HOLES
AV11 24 113 1002	AV11 24 113 0002	2
AV11 24 113 1003	AV11 24 113 0003	3
AV11 24 113 1004	AV11 24 113 0004	4

2,4 / 2,7 mm Mini Locking Y Long Plate (2 holes head)

SS	TI	HOLES
AV11 24 113 1102	AV11 24 113 0102	2
AV11 24 113 1103	AV11 24 113 0103	3
AV11 24 113 1104	AV11 24 113 0104	4

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

2,4 / 2,7 mm Mini Locking Small Plate

1/1

SS	TI	HOLES
AV11 24 115 1204	AV11 24 115 0204	4
AV11 24 115 1205	AV11 24 115 0205	5
AV11 24 115 1206	AV11 24 115 0206	6
AV11 24 115 1207	AV11 24 115 0207	7
AV11 24 115 1208	AV11 24 115 0208	8
AV11 24 115 1209	AV11 24 115 0209	9
AV11 24 115 1210	AV11 24 115 0210	10
AV11 24 115 1211	AV11 24 115 0211	11
AV11 24 115 1212	AV11 24 115 0212	12
AV11 24 115 1213	AV11 24 115 0213	13
AV11 24 115 1214	AV11 24 115 0214	14

2,4/2,7 mm Mini Locking Long Plate

1/1

SS	TI	HOLES
AV11 24 115 1104	AV11 24 115 0104	4
AV11 24 115 1105	AV11 24 115 0105	5
AV11 24 115 1106	AV11 24 115 0106	6
AV11 24 115 1107	AV11 24 115 0107	7
AV11 24 115 1108	AV11 24 115 0108	8
AV11 24 115 1109	AV11 24 115 0109	9
AV11 24 115 1110	AV11 24 115 0110	10
AV11 24 115 1111	AV11 24 115 0111	11
AV11 24 115 1112	AV11 24 115 0112	12
AV11 24 115 1113	AV11 24 115 0113	13
AV11 24 115 1114	AV11 24 115 0114	14

2,4/2,7 mm Mini Locking Plate

1/1

SS	TI	HOLES
AV11 24 115 1004	AV11 24 115 0004	4
AV11 24 115 1005	AV11 24 115 0005	5
AV11 24 115 1006	AV11 24 115 0006	6
AV11 24 115 1007	AV11 24 115 0007	7
AV11 24 115 1008	AV11 24 115 0008	8
AV11 24 115 1009	AV11 24 115 0009	9
AV11 24 115 1010	AV11 24 115 0010	10
AV11 24 115 1011	AV11 24 115 0011	11
AV11 24 115 1012	AV11 24 115 0012	12
AV11 24 115 1013	AV11 24 115 0013	13
AV11 24 115 1014	AV11 24 115 0014	14

2,4/2,7 mm Mini Locking Curved Plate

SS	TI	HOLES
AV11 24 116 1004	AV11 24 116 0004	4
AV11 24 116 1005	AV11 24 116 0005	5
AV11 24 116 1006	AV11 24 116 0006	6
AV11 24 116 1007	AV11 24 116 0007	7
AV11 24 116 1008	AV11 24 116 0008	8
AV11 24 116 1009	AV11 24 116 0009	9
AV11 24 116 1010	AV11 24 116 0010	10
AV11 24 116 1011	AV11 24 116 0011	11
AV11 24 116 1012	AV11 24 116 0012	12
AV11 24 116 1013	AV11 24 116 0013	13
AV11 24 116 1014	AV11 24 116 0014	14

2,4 / 2,7 mm Mini Locking Straight Plate

SS	TI	HOLES
AV11 24 123 1004	AV11 24 123 0004	4
AV11 24 123 1005	AV11 24 123 0005	5
AV11 24 123 1006	AV11 24 123 0006	6
AV11 24 123 1007	AV11 24 123 0007	7
AV11 24 123 1008	AV11 24 123 0008	8
AV11 24 123 1010	AV11 24 123 0010	10

2,4 / 2,7 mm Mini Locking Condylar Plate

SS	TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
AV10 02 063 1002	AV10 02 063 0002	7	2	54

2,4 / 2,7 mm Mini Adaptation Locking Plate

TI	HOLES
A310 02 063 0003	12

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

2,4 / 2,7 mm Mini Adaptation T Locking Plate (2 holes head)

1/1

TI	HOLES (SHAFT)	HOLES (HEAD)
AV10 02 062 0002	3	2
AV10 02 062 0003	4	2

2,4 / 2,7 mm Locking Oblique L Plate (2 Holes head)

1/1

TI	HOLES (SHAFT)	HOLES (HEAD)	SIDE
AV10 02 061 0003	3	2	Right
AV10 02 410 0009	4	2	Right
AV10 02 060 0003	3	2	Left
AV10 02 410 0002	4	2	Left

2,4 mm Mini Locking Screw

1/1

SS	TI	DIA. x LENGTH (mm)
A1992306	A110 03 213 0060	2,4X6
-	A100 03216 0070	2,4X7
A1992308	A110 03 213 0080	2,4X8
-	A100 03216 0090	2,4X9
A1992310	A110 03 213 0100	2,4X10
-	A100 03216 0011	2,4X11
A1992312	A110 03 213 0120	2,4X12
-	A100 03216 0013	2,4X13
A1992314	A110 03 213 0140	2,4X14

SS	TI	DIA. x LENGTH (mm)
-	A100 03216 0015	2,4X15
A1992316	A110 03 213 0160	2,4X16
A1992318	A110 03 213 0180	2,4X18
A1992320	A110 03 213 0200	2,4X20
A1992322	A110 03 213 0220	2,4X22
A1992324	A110 03 213 0240	2,4X24
A1992326	A110 03 213 0260	2,4X26
A1992328	A110 03 213 0280	2,4X28
A1992330	A110 03 213 0300	2,4X30

2,4 mm Mini Screw

SS	TI	DIA. x LENGTH (mm)
A100 03 213 0060	A1982306	2,4X6
-	A100 03216 0017	2,4X7
A100 03 213 0080	A1982308	2,4X8
-	A100 03216 0019	2,4X9
A100 03 213 0100	A1982310	2,4X10
-	A100 03216 0021	2,4X11
A100 03 213 0120	A1982312	2,4X12
-	A100 03216 0023	2,4X13
A100 03 213 0140	A1982314	2,4X14

SS	TI	DIA. x LENGTH (mm)
-	A100 03216 0025	2,4X15
A100 03 213 0160	A1982316	2,4X16
A100 03 213 0180	A1982318	2,4X18
A100 03 213 0200	A1982320	2,4X20
A100 03 213 0220	A1982322	2,4X22
A100 03 213 0240	A1982324	2,4X24
A100 03 213 0260	A1982326	2,4X26
A100 03 213 0280	A1982328	2,4X28
A100 03 213 0300	A1982330	2,4X30

2,7 mm Mini Locking Screw

SS	TI	DIA. x LENGTH (mm)
A1992710	A1982710	2,7X10
A1992712	A1982712	2,7X12
A1992714	A1982714	2,7X14
A1992716	A1982716	2,7X16
A1992718	A1982718	2,7X18
A1992720	A1982720	2,7X20
A1992722	A1982722	2,7X22
A1992724	A1982724	2,7X24

SS	TI	DIA. x LENGTH (mm)
A1992726	A1982726	2,7X26
A1992728	A1982728	2,7X28
A1992730	A1982730	2,7X30
A1992732	A1982732	2,7X32
A1992734	A1982734	2,7X34
A1992736	A1982736	2,7X36
A1992738	A1982738	2,7X38
A1992740	A1982740	2,7X40

2,7 mm Mini Screw

SS	TI	DIA. x LENGTH (mm)
A100 03 217 0100	A110 03 217 0100	2,7X10
A100 03 217 0120	A110 03 217 0120	2,7X12
A100 03 217 0140	A110 03 217 0140	2,7X14
A100 03 217 0160	A110 03 217 0160	2,7X16
A100 03 217 0180	A110 03 217 0180	2,7X18
A100 03 217 0200	A110 03 217 0200	2,7X20
A100 03 217 0220	A110 03 217 0220	2,7X22
A100 03 217 0240	A110 03 217 0240	2,7X24

SS	TI	DIA. x LENGTH (mm)
A100 03 217 0260	A110 03 217 0260	2,7X26
A100 03 217 0280	A110 03 217 0280	2,7X28
A100 03 217 0300	A110 03 217 0300	2,7X30
A100 03 217 0320	A110 03 217 0320	2,7X32
A100 03 217 0340	A110 03 217 0340	2,7X34
A100 03 217 0360	A110 03 217 0360	2,7X36
A100 03 217 0380	A110 03 217 0380	2,7X38
A100 03 217 0400	A110 03 217 0400	2,7X40

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

2,7 mm Cannulated Screw Partially Threaded

TI	DIA. x LENGTH (mm)
A6072718	2,7X18
A6072720	2,7X20
A6072722	2,7X22
A6072724	2,7X24
A6072726	2,7X26
A6072728	2,7X28
A6072730	2,7X30

3,5 mm Cannulated Screw Partially Threaded

TI	DIA. x LENGTH (mm)
A6073516	3,5X16
A6073518	3,5X18
A6073520	3,5X20
A6073522	3,5X22
A6073524	3,5X24
A6073526	3,5X26
A6073528	3,5X28
A6073530	3,5X30
A6073532	3,5X32

TI	DIA. x LENGTH (mm)
A6073534	3,5X34
A6073536	3,5X36
A6073538	3,5X38
A6073540	3,5X40
A6073542	3,5X42
A6073544	3,5X44
A6073546	3,5X46
A6073548	3,5X48
A6073550	3,5X50

3,0 mm Headless Cannulated Compression Screw

TI	DIA. x LENGTH (mm)
A6013014	3,0X14
A6013016	3,0X16
A6013018	3,0X18
A6013020	3,0X20
A6013022	3,0X22
A6013024	3,0X24
A6013026	3,0X26
A6013026	3,0X26

TI	DIA. x LENGTH (mm)
A6013028	3,0X28
A6013030	3,0X30
A6013035	3,0X35
A6013040	3,0X40
A6013045	3,0X45
A6013050	3,0X50

3,5 mm Headless Cannulated Compression Screw

TI	DIA. x LENGTH (mm)
A6013514	3,5X14
A6013516	3,5X16
A6013518	3,5X18
A6013520	3,5X20
A6013522	3,5X22
A6013524	3,5X24

TI	DIA. x LENGTH (mm)
A6013526	3,5X26
A6013528	3,5X28
A6013530	3,5X30
A6013535	3,5X35
A6013540	3,5X40
A6013545	3,5X45
A6013550	3,5X50

3,5 mm Metaphysis Locking Compression Plate

SS	TI	HOLES
A1060906	A1060806	6
A1060907	A1060807	7
A1060908	A1060808	8
A1060909	A1060809	9
A1060911	A1060811	11
A1060913	A1060813	13

3,5 mm Locking Compression Plate

SS	TI	HOLES
A1840904	A1820804	4
A1840905	A1820805	5
A1840906	A1820806	6
A1840907	A1820807	7
A1840908	A1820808	8
A1840909	A1820809	9
A1840910	A1820810	10
A1840911	A1820811	11
A1840912	A1820812	12

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

1/3 Tubular Locking Plate

1/1

SS	TI	HOLES
A5051004	A5050004	4
A5051005	A5050005	5
A5051006	A5050006	6
A5051007	A5050007	7
A5051008	A5050008	8

SS	TI	HOLES
A5051009	A5050009	9
A5051010	A5050010	10
A5051011	A5050011	11
A5051012	A5050012	12
A5051013	A5050013	13

3,5 mm Reconstruction Locking Plate

1/1

SS	TI	HOLES
A1050904	A1050804	4
A1050905	A1050805	5
A1050906	A1050806	6
A1050907	A1050807	7
A1050908	A1050808	8
A1050909	A1050809	9
A1050910	A1050810	10
A1050911	A1050811	11
A1050912	A1050812	12

3,5 mm Mini Locking Condylar Plate

SS	TI	HOLES (SHAFT)	HOLES (HEAD)	LENGTH (mm)
AV10 02 063 1003	AV10 02 163 1003	7	2	54

Quarter 1/4 Tubular Plate

1/1

SS	TI	HOLES
A100 02 182 0003	A110 02 170 0003	3
A100 02 182 0004	A110 02 170 0004	4
A100 02 182 0005	A110 02 170 0005	5
A100 02 182 0006	A110 02 170 0006	6
A100 02 182 0007	A110 02 170 0007	7
A100 02 182 0008	A110 02 170 0008	8
A100 02 182 0009	A110 02 170 0009	9
A100 02 182 0010	A110 02 170 0010	10

1/3 Tubular Plate

1/1

SS	TI	HOLES
A100 02 181 0004	A110 02 181 0004	4
A100 02 181 0005	A110 02 181 0005	5
A100 02 181 0006	A110 02 181 0006	6
A100 02 181 0007	A110 02 181 0007	7
A100 02 181 0008	A110 02 181 0008	8
A100 02 181 0009	A110 02 181 0009	9
A100 02 181 0010	A110 02 181 0010	10
A100 02 181 0011	A110 02 181 0011	11
A100 02 181 0012	A110 02 181 0012	12

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

3,5 mm Thin Narrow Plate DCP

1/1

SS	TI	HOLES
A100 02 171 0004	A110 02 171 0004	4
A100 02 171 0005	A110 02 171 0005	5
A100 02 171 0006	A110 02 171 0006	6
A100 02 171 0007	A110 02 171 0007	7
A100 02 171 0008	A110 02 171 0008	8
A100 02 171 0009	A110 02 171 0009	9
A100 02 171 0010	A110 02 171 0010	10
A100 02 171 0012	A110 02 171 0012	12

3,5 mm Straight Reconstruction Plate

1/1

SS	TI	HOLES
A100 02 220 0004	A110 02 220 0004	4
A100 02 220 0005	A110 02 220 0005	5
A100 02 220 0006	A110 02 220 0006	6
A100 02 220 0007	A110 02 220 0007	7
A100 02 220 0008	A110 02 220 0008	8
A100 02 220 0009	A110 02 220 0009	9
A100 02 220 0010	A110 02 220 0010	10
A100 02 220 0011	A110 02 220 0011	11
A100 02 220 0012	A110 02 220 0012	12

3,5 mm Locking Cancellous Screw Full Threaded

1/1

SS	TI	DIA. x LENGTH (mm)
A33803510	A33703510	3,5X10
A33803512	A33703512	3,5X12
A33803514	A33703514	3,5X14
A33803516	A33703516	3,5X16
A33803518	A33703518	3,5X18
A33803520	A33703520	3,5X20
A33803522	A33703522	3,5X22
A33803524	A33703524	3,5X24
A33803526	A33703526	3,5X26
A33803528	A33703528	3,5X28
A33803530	A33703530	3,5X30
A33803532	A33703532	3,5X32

SS	TI	DIA. x LENGTH (mm)
A33803534	A33703534	3,5X34
A33803536	A33703536	3,5X36
A33803538	A33703538	3,5X38
A33803540	A33703540	3,5X40
A33803542	A33703542	3,5X42
A33803544	A33703544	3,5X44
A33803546	A33703546	3,5X46
A33803548	A33703548	3,5X48
A33803550	A33703550	3,5X50
A33803555	A33703555	3,5X55
A33803560	A33703560	3,5X60

3,5 mm Self-Tapping Locking Screw

1/1

SS	TI	DIA. x LENGTH (mm)
A1993510	A1983510	3,5X10
A1993512	A1983512	3,5X12
A1993514	A1983514	3,5X14
A1993516	A1983516	3,5X16
A1993518	A1983518	3,5X18
A1993520	A1983520	3,5X20
A1993522	A1983522	3,5X22
A1993524	A1983524	3,5X24
A1993526	A1983526	3,5X26
A1993528	A1983528	3,5X28
A1993530	A1983530	3,5X30
A1993532	A1983532	3,5X32

SS	TI	DIA. x LENGTH (mm)
A1993534	A1983534	3,5X34
A1993536	A1983536	3,5X36
A1993538	A1983538	3,5X38
A1993540	A1983540	3,5X40
A1993542	A1983542	3,5X42
A1993544	A1983544	3,5X44
A1993546	A1983546	3,5X46
A1993548	A1983548	3,5X48
A1993550	A1983550	3,5X50
A1993555	A1983555	3,5X55
A1993560	A1983560	3,5X60

3,5 mm Pitch 1,25 Cortical Screw

1/1

SS	TI	DIA. x LENGTH (mm)
A100 03 218 0100	A110 03 218 0100	3,5X10
A100 03 218 0120	A110 03 218 0120	3,5X12
A100 03 218 0140	A110 03 218 0140	3,5X14
A100 03 218 0160	A110 03 218 0160	3,5X16
A100 03 218 0180	A110 03 218 0180	3,5X18
A100 03 218 0200	A110 03 218 0200	3,5X20
A100 03 218 0220	A110 03 218 0220	3,5X22
A100 03 218 0240	A110 03 218 0240	3,5X24
A100 03 218 0260	A110 03 218 0260	3,5X26
A100 03 218 0280	A110 03 218 0280	3,5X28
A100 03 218 0300	A110 03 218 0300	3,5X30
A100 03 218 0320	A110 03 218 0320	3,5X32
A100 03 218 0340	A110 03 218 0340	3,5X34

SS	TI	DIA. x LENGTH (mm)
A100 03 218 0360	A110 03 218 0360	3,5X36
A100 03 218 0380	A110 03 218 0380	3,5X38
A100 03 218 0400	A110 03 218 0400	3,5X40
A100 03 218 0420	A110 03 218 0420	3,5X42
A100 03 218 0440	A110 03 218 0440	3,5X44
A100 03 218 0460	A110 03 218 0460	3,5X46
A100 03 218 0480	A110 03 218 0480	3,5X48
A100 03 218 0500	A110 03 218 0500	3,5X50
A100 03 218 0520	A110 03 218 0520	3,5X52
A100 03 218 0540	A110 03 218 0540	3,5X54
A100 03 218 0560	A110 03 218 0560	3,5X56
A100 03 218 0580	A110 03 218 0580	3,5X58
A100 03 218 0600	A110 03 218 0600	3,5X60

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

4,5/5,0 mm Narrow Locking Compression Plate

1/1

SS	TI	HOLES
A1821105	A1820905	5
A1821106	A1820906	6
A1821107	A1820907	7
A1821108	A1820908	8
A1821109	A1820909	9
A1821110	A1820910	10
A1821111	A1820911	11
A1821112	A1820912	12
A1830816	A1820913	13
A1821114	A1820914	14

4,5/6,5 mm Broad Compression Plate

1/1

SS	TI	HOLES
A100 02 161 0004	A110 02 161 0004	4
A100 02 161 0005	A110 02 161 0005	5
A100 02 161 0006	A110 02 161 0006	6
A100 02 161 0007	A110 02 161 0007	7
A100 02 161 0008	A110 02 161 0008	8
A100 02 161 0009	A110 02 161 0009	9
A100 02 161 0010	A110 02 161 0010	10
A100 02 161 0011	A110 02 161 0011	11
A100 02 161 0012	A110 02 161 0012	12
A100 02 161 0013	A110 02 161 0013	13
A100 02 161 0014	A110 02 161 0014	14
A100 02 161 0015	A110 02 161 0015	15
A100 02 161 0016	A110 02 161 0016	16
A100 02 161 0017	A110 02 161 0017	17
A100 02 161 0018	A110 02 161 0018	18

4,5/6,5 mm Narrow Compression Plate

1/1

SS	TI	HOLES
A100 02 151 0002	A110 02 151 0002	2
A100 02 151 0003	A110 02 151 0003	3
A100 02 151 0004	A110 02 151 0004	4
A100 02 151 0005	A110 02 151 0005	5
A100 02 151 0006	A110 02 151 0006	6
A100 02 151 0007	A110 02 151 0007	7
A100 02 151 0008	A110 02 151 0008	8
A100 02 151 0009	A110 02 151 0009	9
A100 02 151 0010	A110 02 151 0010	10
A100 02 151 0011	A110 02 151 0011	11
A100 02 151 0012	A110 02 151 0012	12
A100 02 151 0013	A110 02 151 0013	13
A100 02 151 0014	A110 02 151 0014	14
A100 02 151 0015	A110 02 151 0015	15
A100 02 151 0016	A110 02 151 0016	16

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

5,0 mm Self-Tapping Locking Screw

1/1

SS	TI	DIA. x LENGTH (mm)
A2095014	A2085014	5,0X14
A2095016	A2085016	5,0X16
A2095018	A2085018	5,0X18
A2095020	A2085020	5,0X20
A2095022	A2085022	5,0X22
A2095024	A2085024	5,0X24
A2095026	A2085026	5,0X26
A2095028	A2085028	5,0X28
A2095030	A2085030	5,0X30
A2095032	A2085032	5,0X32
A2095034	A2085034	5,0X34
A2095036	A2085036	5,0X36
A2095038	A2085038	5,0X38

SS	TI	DIA. x LENGTH (mm)
A2095040	A2085040	5,0X40
A2095042	A2085042	5,0X42
A2095044	A2085044	5,0X44
A2095046	A2085046	5,0X46
A2095048	A2085048	5,0X48
A2095050	A2085050	5,0X50
A2095055	A2085055	5,0X55
A2095060	A2085060	5,0X60
A2095065	A2085065	5,0X65
A2095070	A2085070	5,0X70
A2095075	A2085075	5,0X75
A2095080	A2085080	5,0X80
A2095085	A2085085	5,0X85
A2095090	A2085090	5,0X90

4,5 mm Self-Tapping Cortical Screw

1/1

SS	TI	DIA. x LENGTH (mm)
A100 03 223 0140	A110 03 223 0140	4,5X14
A100 03 223 0160	A110 03 223 0160	4,5X16
A100 03 223 0180	A110 03 223 0180	4,5X18
A100 03 223 0200	A110 03 223 0200	4,5X20
A100 03 223 0220	A110 03 223 0220	4,5X22
A100 03 223 0240	A110 03 223 0240	4,5X24
A100 03 223 0260	A110 03 223 0260	4,5X26
A100 03 223 0280	A110 03 223 0280	4,5X28
A100 03 223 0300	A110 03 223 0300	4,5X30
A100 03 223 0320	A110 03 223 0320	4,5X32
A100 03 223 0340	A110 03 223 0340	4,5X34
A100 03 223 0360	A110 03 223 0360	4,5X36
A100 03 223 0380	A110 03 223 0380	4,5X38

SS	TI	DIA. x LENGTH (mm)
A100 03 223 0400	A110 03 223 0400	4,5X40
A100 03 223 0420	A110 03 223 0420	4,5X42
A100 03 223 0440	A110 03 223 0440	4,5X44
A100 03 223 0460	A110 03 223 0460	4,5X46
A100 03 223 0480	A110 03 223 0480	4,5X48
A100 03 223 0500	A110 03 223 0500	4,5X50
A100 03 223 0520	A110 03 223 0520	4,5X52
A100 03 223 0540	A110 03 223 0540	4,5X54
A100 03 223 0560	A110 03 223 0560	4,5X56
A100 03 223 0580	A110 03 223 0580	4,5X58
A100 03 223 0600	A110 03 223 0600	4,5X60
A100 03 223 0650	A110 03 223 0650	4,5X65
A100 03 223 0700	A110 03 223 0700	4,5X70

4,5 mm Malleolar Screw

1/1

SS	TI	DIA. x LENGTH (mm)
A100 03 224 0250	A110 03 224 0250	4,5X25
A100 03 224 0300	A110 03 224 0300	4,5X30
A100 03 224 0350	A110 03 224 0350	4,5X35
A100 03 224 0400	A110 03 224 0400	4,5X40
A100 03 224 0450	A110 03 224 0450	4,5X45

SS	TI	DIA. x LENGTH (mm)
A100 03 224 0500	A110 03 224 0500	4,5X50
A100 03 224 0550	A110 03 224 0550	4,5X55
A100 03 224 0600	A110 03 224 0600	4,5X60
A100 03 224 0650	A110 03 224 0650	4,5X65
A100 03 224 0700	A110 03 224 0700	4,5X70

Kirschner Wires with Trocar Point

SS	DIAMETER (mm)
A100 03 070 0525	0,5
A100 03 070 0620	0,6
A100 03 070 0825	0,8
A100 03 070 0925	0,9
A100 03 070 1025	1,0

SS	DIAMETER (mm)
A100 03 070 1210	1,2
A100 03 070 1510	1,4
A100 03 070 1525	1,5
A100 03 070 1625	1,6
A100 03 070 1810	1,8

SS	DIAMETER (mm)
A100 03 070 2028	2,0
A100 03 070 2225	2,2
A100 03 070 2510	2,5
A100 03 070 2810	2,8
A100 03 070 3010	3,0

SS	DIAMETER (mm)
A100 03 070 3225	3,2
A100 03 070 3510	3,5
A100 03 070 4010	4,0
A100 03 070 4529	4,5
A100 03 070 5025	5,0

Kirschner Wires with Double Trocar Point

SS	DIAMETER (mm)
A100 03 073 0525	0,5
A100 03 073 0625	0,6
A100 03 073 0812	0,8
A100 03 073 0925	0,9
A100 03 073 1012	1,0
A100 03 073 1212	1,2
A100 03 073 1429	1,4
A100 03 073 1512	1,5
A100 03 073 1629	1,6
A100 03 073 1812	1,8

SS	DIAMETER (mm)
A100 03 073 2012	2,0
A100 03 073 2212	2,2
A100 03 073 2510	2,5
A100 03 073 3015	2,8
A100 03 073 3010	3,0
A100 03 073 3229	3,2
A100 03 073 3510	3,5
A100 03 073 4010	4,0
A100 03 073 6032	4,5
A100 03 073 5020	5,0

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

Threaded Kirschner Wires with Trocar Point

SS	DIAMETER (mm)
A100 03 071 0020	2,0
A100 03 071 0025	2,5
A100 03 071 0030	3,0

SS	DIAMETER (mm)
A100 03 071 0032	3,2
A100 03 071 0035	3,5
A100 03 071 0040	4,0

Cerclage Wire

SS	DIA x LENGTH (mm)
A400 03 011 0329	0,3X5000
A400 03 011 0427	0,4X5000
A400 03 011 0525	0,5X5000
A400 03 011 0623	0,6X5000
A400 03 011 0722	0,7X5000
A400 03 011 0821	0,8X5000
A400 03 011 0920	0,9X5000

SS	DIA x LENGTH (mm)
A400 03 011 1019	1,0X5000
A400 03 011 1218	1,2X5000
A400 03 011 1517	1,5X5000
A400 03 011 1826	1,8X5000
A400 03 011 2027	2,0X5000
A400 03 011 2328	2,3X5000
A400 03 011 2529	2,5X5000

Steinmann Pin with Trocar Point

SS	DIAMETER (mm)
A100 03 050 1829	1,8
A100 03 050 2029	2,0
A100 03 050 2529	2,5
A100 03 050 3012	3,0
A100 03 050 3512	3,5

SS	DIAMETER (mm)
A100 03 050 4012	4,0
A100 03 050 4512	4,5
A100 03 050 5012	5,0
A100 03 050 6012	6,0

Steinmann Pins with Central Thread

SS	DIAMETER (mm)	THREAD LENGTH (mm)
A100 03 051 3230	3,0	60
A100 03 051 4230	4,0	60
A100 03 051 4523	4,5	60

SS	DIAMETER (mm)	THREAD LENGTH (mm)
A100 03 051 5230	5,0	60
A100 03 051 5524	5,5	60
A100 03 050 6018	6,0	60

Schanz Screw

SS	DIAMETER (mm)
A100 03 090 5012	1,5
A100 03 090 6026	2,0
A100 03 091 6020	2,5
A100 03 090 3115	3,0
A100 03 090 6030	3,5

SS	DIAMETER (mm)
A100 03 090 4011	4,0
A100 03 090 4517	4,5
A100 03 090 5013	5,0
A100 03 090 5515	5,5
A100 03 090 6012	6,0

Schanz Screw Cortical

SS	DIA.x LENGTH (mm)
A600 11 110 0130	6,0X130
A600 11 110 0115	6,0X150
A600 11 110 0160	6,0X160
A600 11 110 0180	6,0X180
A600 11 110 0200	6,0X200
A600 11 110 0220	6,0X220

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

Schanz Screw Cancellous

SS	DIA.x LENGTH (mm)
A600 11 111 0150	6,0X150
A600 11 111 0160	6,0X160
A600 11 111 0180	6,0X180
A600 11 111 0200	6,0X200
A600 11 111 0220	6,0X220

Rush Intramedullary Pin

SS	DIAMETER (mm)
A100 04 051 2016	2,0
A100 04 051 2518	2,5
A100 04 051 3016	3,0
A100 04 051 3218	3,2
A100 04 051 3220	3,5
A100 04 051 4016	4,0

SS	DIAMETER (mm)
A100 04 051 4514	4,5
A100 04 051 5016	5,0
A100 04 051 5522	5,5
A100 04 051 6020	6,0
A100 04 051 7025	7,0

Mini Rail Fixator Short

CAT. NO	DISTRACTION (mm)	LENGTH (mm)
A600 12 120 0005	19,5	71,5

| available as aluminium/stainless steel/peek.

1/1

Mini Rail Fixator Medium

CAT. NO	DISTRACTION (mm)	LENGTH (mm)
A600 12 120 0006	29,5	81,5

| available as aluminium/stainless steel/peek.

1/1

Mini Rail Fixator Long

CAT. NO	DISTRACTION (mm)	LENGTH (mm)
A600 12 120 0007	39,5	91,5

1/1

| available as aluminium/stainless steel/peek.

Mini Rail Fixator X Long

CAT. NO	DISTRACTION (mm)	LENGTH (mm)
A600 12 120 0002	69,5	121,5

1/1

| available as aluminium/stainless steel/peek.

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

Ayfix Dynamic Axial External Fixator Humerus

Allen Wrench to be used
Ø (5,0 mm)

Half-Pin (Schanz Screw) to be used
Ø (4,0/4,5/5,0 mm)

1/1

CAT. NO	TYPE	DISTRACTION (mm)	LENGTH (mm)
A600 16 100 0001	Long	51	235
A600 16 100 0002	Medium	31	215
A600 16 100 0003	Short	11	195

available as aluminium/stainless steel/peek.

Tubular Fixator Rod-Rod Clamp

ALUMINIUM	DIAMETER (mm)
A600 11 006 0001	5,0
A600 11 014 0001	8,0
A600 11 010 0001	10,0

Tubular Fixator Rod-Pin Clamp

ALUMINIUM	DIAMETER (mm)
A600 11 006 0002	5,0
A600 11 014 0002	8,0
A600 11 010 0002	10,0

Tubular Fixator Carbon Rod

CARBON	DIAMETER x LENGTH (mm)
A600 11 005 0050	5,0X50
A600 11 005 0100	5,0X100
A600 11 005 0150	5,0X150
A600 11 005 0200	5,0X200
A600 11 005 0250	5,0X250
A600 11 005 0300	5,0X300
A600 11 005 0350	5,0X350

Tubular Fixator Straight Support

SS	DIAMETER (mm)
A600 11 005 0004	5,0
A600 11 008 0004	8,0
A600 11 010 0007	10,0

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

Orthopaedic

INSTRUMENT SETS

AVET1100-00 AYSAM MINI ILIZAROV VET SET (FOR DOG)

AVET1100-00	AYSAM MINI ILIZAROV VET SET (FOR DOG)
AVET1100-01	SEMISIRKULER ARK 80 MM
AVET1100-02	SEMISIRKULER ARK 100 MM
AVET1100-03	HALF RING 80 MM
AVET1100-04	HALF RING 100 MM
AVET1100-05	ROD 6 MM
AVET1100-06	WASHER M6
AVET1100-07	KRISCHNER WIRE Ø2,0X150 MM
AVET1100-08	BOLT 2 MM
AVET1100-09	SCHANZ PIN Ø3,0X200 MM
AVET1100-11	SCHANZ PIN Ø4,0X200 MM
AVET1100-12	BOLT 4 MM
AVET1100-13	SCHANZ PIN Ø1,5X150 MM
AVET1100-14	BOLT 1,4 MM
AVET1100-15	SEMISIRCULAR ARC 6 HOLE
AVET1100-16	BOLT 3 MM
AVET1100-17	ALUMINIUM BOX

AVET1100-00 AYSAM MINI ILIZAROV VET SET (FOR CAT)

AVET1200-00	AYSAM MINI ILIZAROV VET SET (FOR CAT)
AVET1200-01	FULL RING 40 MM
AVET1200-02	FULL RING 50 MM
AVET1200-03	HALF RING 40 MM
AVET1200-04	HALF RING 50 MM
AVET1200-05	SEMISIRCULAR ARC 5 HOLE
AVET1200-06	BOLT 1 MM
AVET1200-07	BOLT 2 MM
AVET1200-08	NUT M3
AVET1200-09	MINI KEY
AVET1200-10	ROD 3 MM X 80 MM
AVET1200-11	ROD 3 MM X 100 MM
AVET1200-12	ROD 3 MM X 120 MM
AVET1200-13	ROD 3 MM X 150 MM
AVET1200-14	SCHANZ PIN Ø2,0X150 MM
AVET1200-15	KIRSCHNER WIRE Ø1,0X100 MM
AVET1200-16	DOUBLE CLAMP ASSAMBLED PART
AVET1200-17	SEMISIRCULAR ARC 6 HOLE
AVET1100-18	ALUMINIUM BOX

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

AVET1300-00 AYSAM Ø2,0 MINI VET SET

AVET1300-00	AYSAM Ø2,0 MINI VET SET
AVET1300-01	DRILL BIT 1,2X100 MM (AYSAM Ø2,0 MINI VET SET)
AVET1300-02	SCREW DRIVER CROSS-PIN (AYSAM Ø2,0 MINI VET SET)
AVET1300-03	DRILL GUIDE 1,2-2,0
AVET1300-04	DEEP GAUGE (AYSAM Ø2,0 MINI VET SET)
AVET1300-05	THREADED SLEEVE FOR 1,2 DRILL BIT
AVET1300-06	TAP (AYSAM Ø2,0 MINI VET SET)
AVET1300-07	ALLUMINIUM BOX

AVET1400-00 AYSAM Ø2,4-2,7 MINI VET SET

AVET1400-00	AYSAM Ø2,4-2,7 MINI VET SET
AVET1400-01	Ø1,5 MM DRILL FOR 2,4 MM MINI SCREW (AYSAM Ø2,4-2,7 MINI VET SET)
AVET1400-02	Ø2,0 MM DRILL FOR 2,7 MM MINI SCREW (AYSAM Ø2,4-2,7 MINI VET SET)
AVET1400-03	DRILL GUIDE FOR 1,5-2,0/2,4-2,7
AVET1400-04	DEEP GAUGE (AYSAM Ø2,4-2,7 MINI VET SET)
AVET1400-05	TAP (AYSAM Ø2,4-2,7 MINI VET SET)
AVET1400-06	HEXAGONAL SCREWDRIVER (AYSAM Ø2,4-2,7 MINI VET SET)
AVET1400-07	THREADED SLEEVE FOR 1,5 MM DRILL BIT (AYSAM Ø2,4-2,7 MINI VET SET)
AVET1400-08	THREADED SLEEVE FOR 2,0 MM DRILL BIT (AYSAM Ø2,4-2,7 MINI VET SET)
AVET1400-09	ALLUMINIUM BOX

AVET1500-00 AYSAM Ø3,5 MINI VET SET

AVET1500-00	AYSAM Ø3,5 MINI VET SET
AVET1500-01	DRILL BIT 2,7X130 MM (AYSAM Ø3,5 MINI VET SET)
AVET1500-02	HEXAGONAL SCREW DRIVER 2,5 MM (AYSAM Ø3,5 MINI VET SET)
AVET1500-03	DRILL GUIDE 2,7-3,5 MM (AYSAM Ø2,0 MINI VET SET)
AVET1500-04	DEPTH GAUGE (AYSAM Ø3,5 MINI VET SET)
AVET1500-05	TAP FOR CORTEX SCREW 3,5 MM (AYSAM Ø3,5 MINI VET SET)
AVET1500-06	THREADED DRILL SLEEVE Ø2,7 MM
AVET1500-07	ALLUMINIUM BOX

aysamVet
veterinary orthopaedics products
www.aysamvet.com

Sterilization CONTAINERS AND ACCESSORIES

Basic Model - Half Size Containers

outside dimensions / mm
285x280x100

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A310.10	A311.10
YELLOW	A320.10	A321.10
RED	A330.10	A331.10
BLUE	A340.10	A341.10
GREEN	A350.10	A351.10
BLACK	A360.10	A361.10

outside dimensions / mm
285x280x135

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A310.13	A311.13
YELLOW	A320.13	A321.13
RED	A330.13	A331.13
BLUE	A340.13	A341.13
GREEN	A350.13	A351.13
BLACK	A360.13	A361.13

outside dimensions / mm
285x280x150

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A310.15	A311.15
YELLOW	A320.15	A321.15
RED	A330.15	A331.15
BLUE	A340.15	A341.15
GREEN	A350.15	A351.15
BLACK	A360.15	A361.15

outside dimensions / mm
285x280x200

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A310.20	A311.20
YELLOW	A320.20	A321.20
RED	A330.20	A331.20
BLUE	A340.20	A341.20
GREEN	A350.20	A351.20
BLACK	A360.20	A361.20

outside dimensions / mm
285x280x260

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A310.26	A311.26
YELLOW	A320.26	A321.26
RED	A330.26	A331.26
BLUE	A340.26	A341.26
GREEN	A350.26	A351.26
BLACK	A360.26	A361.26

Basic Model - Special Size Containers

outside dimensions / mm
350x250x100

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A910.10	A911.10
YELLOW	A920.10	A921.10
RED	A930.10	A931.10
BLUE	A940.10	A941.10
GREEN	A950.10	A951.10
BLACK	A960.10	A961.10

outside dimensions / mm
350x250x135

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A910.13	A911.13
YELLOW	A920.13	A921.13
RED	A930.13	A931.13
BLUE	A940.13	A941.13
GREEN	A950.13	A951.13
BLACK	A960.13	A961.13

outside dimensions / mm
350x250x150

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A910.15	A911.15
YELLOW	A920.15	A921.15
RED	A930.15	A931.15
BLUE	A940.15	A941.15
GREEN	A950.15	A951.15
BLACK	A960.15	A961.15

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

Mini Containers

outside dimensions / mm
300x140x50

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A410.04	A411.04
YELLOW	A420.04	A421.04
RED	A430.04	A431.04
BLUE	A440.04	A441.04
GREEN	A450.04	A451.04
BLACK	A460.04	A461.04

outside dimensions / mm
300x140x70

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A410.07	A411.07
YELLOW	A420.07	A421.07
RED	A430.07	A431.07
BLUE	A440.07	A441.07
GREEN	A450.07	A451.07
BLACK	A460.07	A461.07

outside dimensions / mm
300x140x100

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A410.10	A411.10
YELLOW	A420.10	A421.10
RED	A430.10	A431.10
BLUE	A440.10	A441.10
GREEN	A450.10	A451.10
BLACK	A460.10	A461.10

Dental Containers

outside dimensions / mm
310x190x50

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A510.04	A511.04
YELLOW	A520.04	A521.04
RED	A530.04	A531.04
BLUE	A540.04	A541.04
GREEN	A550.04	A551.04
BLACK	A560.04	A561.05

outside dimensions / mm
310x190x65

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A510.06	A511.06
YELLOW	A520.06	A521.06
RED	A530.06	A531.06
BLUE	A540.06	A541.06
GREEN	A550.06	A551.06
BLACK	A560.06	A561.06

outside dimensions / mm
310x190x100

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A510.10	A511.10
YELLOW	A520.10	A521.10
RED	A530.10	A531.10
BLUE	A540.10	A541.10
GREEN	A550.10	A551.10
BLACK	A560.10	A561.10

outside dimensions / mm
310x190x130

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A510.13	A511.13
YELLOW	A520.13	A521.13
RED	A530.13	A531.13
BLUE	A540.13	A541.13
GREEN	A550.13	A551.13
BLACK	A560.13	A561.13

Flat Containers

Bottom Non Perforated

Bottom Perforated

outside dimensions / mm
285x280x55

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A811.05	A810.05
YELLOW	A821.05	A820.05
RED	A831.05	A830.05
BLUE	A841.05	A840.05
GREEN	A851.05	A850.05
BLACK	A861.05	A860.05

outside dimensions / mm
285x280x95

COLOUR	Bottom Non-Perforated	Bottom Perforated
GRAY	A810.08	A811.08
YELLOW	A820.08	A821.08
RED	A830.08	A831.08
BLUE	A840.08	A841.08
GREEN	A850.08	A851.08
BLACK	A860.08	A861.08

Endoscopy Containers

Bottom
Perforated (Non Filter)

outside dimensions / mm
250x60x50

COLOUR	Bottom Perforated
GRAY	A711.05
YELLOW	A721.05
RED	A731.05
BLUE	A741.05
GREEN	A751.05
BLACK	A761.05

outside dimensions / mm
450x70x70

COLOUR	Bottom Perforated
GRAY	A711.07
YELLOW	A721.07
RED	A731.07
BLUE	A741.07
GREEN	A751.07
BLACK	A761.07

Implant Containers

Bottom
Perforated (Non Filter)

outside dimensions / mm
310x138x65

COLOUR	Bottom Perforated
GRAY	A611.06
YELLOW	A621.06
RED	A631.06
BLUE	A641.06
GREEN	A651.06
BLACK	A661.06

outside dimensions / mm
500x155x75

COLOUR	Bottom Perforated
GRAY	A611.07
YELLOW	A621.07
RED	A631.07
BLUE	A641.07
GREEN	A651.07
BLACK	A661.07

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

Teflon Filter

CAT.NO.	PRODUCT NAME
A014.01	PTFE Filter For Half, Special, Middle and Full Size Containers
A014.02	PTFE Filter For Mini Containers
A014.03	PTFE Filter For Dental Containers

Textile Filter

CAT.NO.	PRODUCT NAME
A013.01	Single Textile Filter For Half, Special, Middle and Full Size Containers
A013.02	Single Textile Filter For Mini Containers
A013.03	Single Textile Filter For Dental Containers

Paper Filter

CAT.NO.	PRODUCT NAME
A012.01	Paper Filter Pack Of 100 For Half, Special, Middle and Full Size Containers

Paper Filter Pack Of 100 For Mini & Dental Size Containers

CAT.NO.	PRODUCT NAME
A012.02	Paper Filter Pack Of 100 For Mini Size Containers

Plastic Security Seal

CAT.NO.	PRODUCT NAME
A011.01	Pack Of 100 Plastic Security Seal

Coloured Identification Label

Coloured Identification Labes

COLOUR	Bottom Non-Perforated
GRAY	A020.01
YELLOW	A020.02
RED	A020.03
BLUE	A020.04
GREEN	A020.05
BLACK	A020.06

Paper Label With Indicator

CAT.NO.	PRODUCT NAME
A010.01	Pack Of 100 Paper Label With Indicator For Half-Midi-Full Size Containers
A010.02	Pack Of 100 Paper Label With Indicator For Dental and Mini Containers

Silicone Mats

CAT. NO.	PRODUCT NAME	MM
A050.01	Silicone Mat	180x280
A050.03	Silicone Mat	245x245
A050.04	Silicone Mat	270x125

CAT. NO.	PRODUCT NAME	MM
A050.05	Silicone Mat	380x230
A050.06	Silicone Mat	440x230
A050.07	Silicone Mat	520x230

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

Perforated SHEET BASKETS

Perforated Sheet Basket for Veterinary
Delikli Sac Sepet

Half Size Sheet Basket

PERFORATED SHEET BASKET

SIZE (mm)	CAT. NO.
245X250X30	AS490.03
245X250X50	AS490.05
245X250X70	AS490.07
245X250X100	AS490.10

PERFORATED SHEET BASKET WITH LID

SIZE (mm)	CAT. NO.
245X250X30	AS491.03
245X250X50	AS491.05
245X250X70	AS491.07
245X250X100	AS491.10

Special Size Sheet Basket

PERFORATED SHEET BASKET

SIZE (mm)	CAT. NO.
265X120X30	AS590.03
265X120X50	AS590.05
265X120X70	AS590.07

PERFORATED SHEET BASKET WITH LID

SIZE (mm)	CAT. NO.
265X120X30	AS591.03
265X120X50	AS591.05
265X120X70	AS591.07

Mini Sheet Basket

PERFORATED SHEET BASKET WITH LID

SIZE (mm)	CAT. NO.
265X120X30	AS591.03
265X120X50	AS591.05
265X120X70	AS591.07

PERFORATED SHEET BASKET

SIZE (mm)	CAT. NO.
265X120X30	AS590.03
265X120X50	AS590.05
265X120X70	AS590.07

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

Dental Sheet Basket

PERFORATED SHEET BASKET

SIZE (mm)	CAT. NO.
274X170X50	AS690.50
274X170X70	AS690.70

PERFORATED SHEET BASKET WITH LID

SIZE (mm)	CAT. NO.
274X170X50	AS691.50
274X170X70	AS691.70

aysamVet
veterinary orthopaedics products

VETERINARY ORTHOPAEDIC SURGICAL INSTRUMENTS

We develop and manufacture ergonomic, useful and functional stainless steel orthopedic surgical instruments that are designed for the purpose of use in orthopedic surgeries and increase the success of surgical procedures.

www.aysamvet.com

Veterinary Orthopaedic

SURGICAL INSTRUMENTS

Killian Raspatory S/B 185 mm

CAT. NO
ASI260371

Cottle Periosteal Elevator Cvd 8 mm 195 mm

CAT. NO
ASI260403

Hohmann Bone Elevator 24 mm 260 mm

CAT. NO
ASI150485

Buck-Gramcko Bone Elev. 7,5 / 2 mm 150 mm

CAT. NO
ASI190651

Mallet Lead Filled 155 g 22 mm 190 mm

CAT. NO
ASI180196

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

Mallet 285g 30/42 mm 240 mm

CAT. NO
ASI180209

Finger Reposition Forceps F/Sm-Frag 135 mm

CAT. NO
ASI190805

Finger Reposition Forcep Steped-Tips 95 mm

CAT. NO
ASI190803

Bone Holding Forceps Thread-Fix 3 / 3 mm 14,50 mm

CAT. NO
ASI190525

Bone Holding Forceps Thread-Fix 2,7 / 7 mm 190 mm

CAT. NO
ASI190526

Bone Holding Forceps Thread-Fix 3,5 / 10,5 mm 240 mm

CAT. NO
ASI190527

Luer Bone Rongeur Ang 150 mm

CAT. NO
ASI190560

Luer Bone Rongeur Str 175 mm

CAT. NO
ASI170340

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

Tc Wire Twister Rnd-Tip 150 mm

CAT. NO
ASI170340

Wire Holding Forceps Serr 170 mm

CAT. NO
ASI180169

Wire Cutting Pliers F/Sft 3,5 mm &Hrd 2,5 mm

CAT. NO
ASI180490

Universal Wire Cutters 160 mm

CAT. NO
ASI180483

Langenbeck Metacarpal Saw 235 mm

CAT. NO
ASI210522

Osteotome Str 4 mm 140 mm

CAT. NO
ASI250972

Osteotome Str 8 mm 140 cm

CAT. NO
ASI190107

Osteotome Str 10 mm 140 cm

CAT. NO
ASI190108

Bending Iron for Mini Plate

CAT. NO
A550 01 091 0421

* DIA. = DIAMETER (mm) ** LENGTH = LENGTH (mm)

aysamVet

veterinary orthopaedics products

www.aysamvet.com

aysamVet

www.aysamvet.com

ISTANBUL
Molla Gürani Mah. Molla Gürani Cad. No:59/9 Fındıkzade/Fatih
+90 212 531 12 00
istanbul@aysam.com.tr

SAMSUN
Ulugazi Mah. İstiklal Cad. No: 28/5 SAMSUN
Tel: +90 362 435 37 72 - Fax: +90 362 420 02 94
pazarlama@aysam.com.tr

WORKSHOP
Organize Sanayi Sitesi M.Erdoğan Cebeci Bulv. No: 34 Kutlukent / SAMSUN
Tel: +90 362 266 69 70
fabrika@aysam.com.tr

WAREHOUSE
Kirazlık Mah 1034 Cd. No:14 TEKKEKÖY/SAMSUN/TÜRKİYE
Tel: +90 362 435 37 72
depo@aysam.com.tr